# Value-adding features

Organised in every last detail – Edition 2026



schüller.



## 04 OrganiQ

Versatile drawer fittings made from sustainable materials.

# 12 Drawer/pull-out

Perfect inserts and solutions – for both drawers and pull-outs.

## 26 Country Style

Fittings that add value to match your Country Style kitchen.

## 28 Flex-Boxes

Create tidiness flexibly with the practical Flex-Boxes in natural oak.

# 34 Panel system

The recess is perfectly organised with the variety of accessories offered by the panel system.

# 42 Orga Wall

Smart accessories offer outstanding versatility for individual design.

## 46 Frame Rack

Practical furnishing options ensure a tidy and uncluttered workspace.

### 48 Panel shelves

Create storage space and bring interesting design touches into the kitchen or living room.

# 54 Technology


Atmospheric lighting with the timelessly elegant pendant luminaire.

## 56 More than kitchen

When the kitchen merges with the living room.

# OrganiQ Drawer equipment









Aesthetics, arrangement and environment come together in our OrganiQ lava black interior fittings: perfectly matching elements such as cutlery trays and functional inserts provide the ideal solution for storing porcelain, cooking utensils and food items like spice jars. Natural fibres (mainly hemp and kenaf) make up 76 % of these flexible inserts, making them particularly resource-efficient, durable and environmentally friendly.


| Carcase depth 46 cm              | Description   | Width cm     | Items                        |
|----------------------------------|---|--------------|------------------------------|
| 28,2 42,7                        | Cutlery insert OrganiQ lava black carcase: d. 46 cm partially space for 1 accessory item  | 28,2<br>42,7 | Z B 28 46 IQ<br>Z B 43 46 IQ |
| 15                               | U-tray insert OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x15x4,3 cm Planning: Suitable for drawers from carcase width 30 cm. The insert for kitchen rolls ZFRE1446IQ, the knife block insert ZMBE1446IQ and the T-partition ZTE1446IQ can be positioned into the U-tray insert.          | 15           | Z USE 15 46 IQ               |
| 29,4                             | Double U-tray insert OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x29,4x4,3 cm Planning: Suitable for drawers from carcase width 40 cm. The insert for kitchen rolls ZFRE1446IQ, the knife block insert ZMBE1446IQ and the T-partition ZTE1446IQ can be positioned into the U-tray insert. | 29,4         | Z USE 29 46 IQ               |
| 13,7                             | T-divider OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x13,7x3,8 cm Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4346IQ.   | 13,7         | Z TE 14 46 IQ                |
| 13,7                             | Insert for kitchen rolls OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x13,7x5,2 cm for 2 rolls with aluminium cover, Dark Grey anodised Planung: Muss in den U-Schaleneinsatz, den doppelten U-Schaleneinsatz oder den Besteckeinsatz ZB4346IQ eingesetzt werden.                          | 13,7         | Z FRE 14 46 IQ               |
| 13,7                             | Knife block insert OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x13,7x2,6 cm without knives Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4346IQ.   | 13,7         | Z MBE 14 46 IQ               |
| 15<br>00<br>00<br>00<br>00<br>00 | Partition for 12 spice containers, ø 5 cm OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x15x4,3 cm 16 spice containers included without spices with labels for spice containers   | 15           | Z GD 15 46 IQ                |
| 11,4                             | Set of china storage bowls height 6 cm, 3 pieces carcase: d. 46 cm LxWxH: 37,2x11,4x6 cm 3 small bowls 1 support frame, OrganiQ lava black  | 11,4         | ZV 11 6 46 IQ                |

| Carcase depth 46 cm                                 | Description   | \        | Width cm             | Items  |
|---|---|----------|----------------------|--|
| 15 6,1<br>13,7<br>30                                | Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 U-tray insert Planning: Anti-slip mat must be ordered separately.   |          | 30                   | ZB 30 46 IQ  |
| 28,2 2,9 28,2 7,9 28,2 12,9 42,7 8,4                | Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 cutlery insert Planning: Anti-slip mat must be ordered separately.  |          | 40<br>45<br>50<br>60 | ZB 40 46 IQ<br>ZB 45 46 IQ<br>ZB 50 46 IQ<br>ZB 60 46 IQ |
| 40 45 50 60<br>15 42,7 13,4<br>13,7 13,7 80         | Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 cutlery insert 1 U-tray insert Planning: Anti-slip mat must be ordered separately.                        | <b>☼</b> | 80                   | ZB 80 46 IQ  |
| 29,4 42,7 9 29,4 42,7 19<br>13,7 13,7 13,7 13,7 100 | Cutlery insert OrganiQ lava blackz carcase: d. 46 cm 1 cutlery insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately.                | <b>‡</b> | 90 100               | ZB 90 46 IQ<br>ZB 90 46 IQ                               |
| 29,4 15 42,7 24<br>13,7 13,7 13,7 13,7              | Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 cutlery insert 1 U-tray insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately. | ***      | 120                  | ZB 120 46 IQ   |
|   |   |          |                      |  |


| Carcase depth 56 cm                    | Description   | Width cm     | Items                        |
|--|---|--------------|------------------------------|
| 28,2 42,7                              | Cutlery insert OrganiQ lava black carcase: d. 56 cm partially space for 1 accessory item  | 28,2<br>42,7 | Z B 28 56 IQ<br>Z B 43 56 IQ |
| 15                                     | U-tray insert OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x15x4,3 cm Planning: Suitable for drawers from carcase width 30 cm. The insert for kitchen rolls ZFRE1456lQ, the knife block insert ZMBE1456lQ and the cross divider ZKE1456lQ can be positioned into the U-tray insert.          | 15           | Z USE 15 56 IQ               |
| 29,4                                   | Double U-tray insert OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x29,4x4,3 cm Planning: Suitable for drawers from carcase width 40 cm. The insert for kitchen rolls ZFRE1456IQ, the knife block insert ZMBE1456IQ and the cross divider ZKE1456IQ can be positioned into the U-tray insert. | 29,4         | Z USE 29 56 IQ               |
| 13,7                                   | Cross divider OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x13,7x3,8 cm Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4356IQ  | 13,7         | Z KE 14 56 IQ                |
| 13,7                                   | Insert for kitchen rolls OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x13,7x5,2 cm for 2 rolls with aluminium cover, Dark Grey anodised Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4356IQ.   | 13,7         | Z FRE 14 56 IQ               |
| 13,7                                   | Knife block insert OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x13,7x2,6 cm without knives Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4356IQ.   | 13,7         | Z MBE 14 56 IQ               |
| 15<br>00<br>00<br>00<br>00<br>00<br>00 | Partition with 16 spice containers, ø 5 cm OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x15x4,3 cm without spices with labels for spice containers   | 15           | Z GD 15 56 IQ                |
| 11,4                                   | Set of china storage bowls height 6 cm, 4 pieces carcase: d. 56 cm LxWxH: 47,2x11,4x6 cm 4 small bowls 1 support frame, OrganiQ lava blackarz   | 11,4         | ZV 11 6 56 IQ                |

| Carcase depth 56 cm                                      | Description   | Width cm             | Items  |
|--|---|----------------------|--|
| 15 6,1   | Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 U-tray insert Planning: Anti-slip mat must be ordered separately.   | 30                   | ZB 30 56 IQ  |
| 28,2 2,9 28,2 7,9 28,2 12,9 42,7 8,4                     | Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert Planning: Anti-slip mat must be ordered separately.  | 40<br>45<br>50<br>60 | ZB 40 56 IQ<br>ZB 45 56 IQ<br>ZB 50 56 IQ<br>ZB 60 56 IQ |
| 40 45 50 60  |   |                      |  |
| 15 42,7 13,4   | Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 U-tray insert Planning: Anti-slip mat must be ordered separately.                        | 80                   | ZB 80 56 IQ  |
| 13.7 13.7  |   |                      |  |
|  | Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately.                 | 90                   | ZB 90 56 IQ<br>ZB 100 56 IQ                              |
| 29,4 42,7 9 29,4 42,7 19<br>13,7 13,7 13,7 13,7 13,7 100 |   |                      |  |
|  | Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 U-tray insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately. | 120                  | ZB 120 56 IQ   |
| 29,4 15 42,7 24<br>13,7 13,7 13,7 13,7 120               |   |                      |  |
|  |   |                      |  |

| Carcase depth 56 cm                       | Description  |          | Width cm  | Items                           |
|---|--|----------|-----------|---------------------------------|
| 15 42,7 13,4                              | Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 insert for kitchen rolls 1 U-tray insert 1 knife block insert Planning: Functional insert contents: ZB4356IQ, ZFRE1456IQ, ZUSE1556IQ, ZMBE1456IQ. Anti-slip mat must be ordered separately.   | <b>☆</b> | 80        | ZFU 80 56 IQ1                   |
| 29,4 42,7 9 29,4 42,7 19<br>90 100        | Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 cross divider 1 double U-tray insert 1 insert for kitchen rolls 1 knife block insert Planning: Functional insert contents: ZB4356IQ, ZKE1456IQ, ZUSE2956IQ, ZFRE1456IQ, ZMBE1456IQ. Anti-slip mat must be ordered separately.   | ***      | 90<br>100 | ZFU 90 56 IQ1<br>ZFU 100 56 IQ1 |
| 29,4 15 42,7 24                           | Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 cross divider 1 partition with 16 spice containers, ø 5 cm 1 double U-tray insert 1 insert for kitchen rolls 1 knife block insert Planning: Functional insert contents: ZB4356IQ, ZKE1456IQ, ZGD1556IQ, ZUSE2956IQ, ZFRE1456IQ, ZMBE1456IQ. Anti-slip mat must be ordered separately. | ***      | 120       | ZFU 120 56 IQ1                  |
| 15 42,7 13,4<br>80                        | Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 partition with 16 spice containers, Ø 5 cm Planning: Functional insert contents: ZB4356IQ, ZMBE1456IQ, ZGD1556IQ. Anti-slip mat must be ordered separately.  | <b>☆</b> | 80        | ZFU 80 56 IQ2                   |
| 11,4 15 42,7 12 11,4 15 42,7 22<br>90 100 | Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 partition with 16 spice containers, Ø 5 cm 1 set of china storage bowls Planning: Functional insert contents: ZB4356IQ, ZMBE1456IQ, ZGD1556IQ, ZV11656IQ. Anti-slip mat must be ordered separately.  | \tag{*}  | 90        | ZFU 90 56 IQ2<br>ZFU 100 56 IQ2 |



# VALUE-ADDING FEATURES Drawer equipment



# Drawer/pull-out equipment












Exceptional elements for organising drawer and cabinet interiors make the perfect kitchen: depending on individual requirements, the room becomes a professional cooking station thanks to various cutlery or functional inserts, such as for knives or spices. We also offer a solution for specific storage needs in the lower pull-outs: the inserts in elegant natural oak can be flexibly adapted to china, cooking utensils or provisions – ensuring that all kitchen tools are perfectly organised.



| utlery insert<br>arcase depth 56 / 66 cm   | Description   | Width cm | Items                          |
|--|---|----------|--------------------------------|
|  | Cutlery insert  | 30       | Z B 30 66 CG                   |
|  | carcase: d. 66 cm<br>laminate carbon grey                           | 40       | Z B 40 66 CG                   |
| 21.1   |   | 45       | Z B 45 66 CG                   |
| 21,1   | 31,1 36,1 41,1 51,1   | 50       | Z B 50 66 CG                   |
|  |   | 60       | Z B 60 66 CG                   |
|  |   | 80       | Z B 80 66 CG<br>Z B 90 66 CG   |
|  |   | 100      | Z B 100 66 CG                  |
| 30   | 40 45 50 60   | 100      | 2 B 100 00 CG                  |
| 71,1 81,1  | 91,1  |          |                                |
|  | Spice container insert  | 45       | Z GD 45 56 CG                  |
| TIMENTER   | Spice container insert without spice containers carcase: d. 56 cm   | 50       | Z GD 50 56 CG                  |
| The state of the s | laminate carbon grey  | 60       | Z GD 60 56 CG                  |
| TOTAL TOTAL STATE  | laminate carbon grey<br>for spice containers<br>max. length 15,4 cm |          |                                |
| I a a a  | <b>3</b>  |          |                                |
|  |   |          |                                |
| 36,1 41,1 51,1   |   |          |                                |
| 199999   19999999   1999999999<br>199999   19999999   1999999999<br>199999   199999999   |   |          |                                |
| 45 50 60   |   |          |                                |
|  | Varia-Orgaset T<br>laminate translucent smoke grey                  | 30       | Z B 30 56 TR                   |
|  | carcase: d. 56 cm   | 40       | Z B 40 56 TR                   |
|  | tray inserts with crosswise dividers                                | 45       | Z B 45 56 TR                   |
| 1,3 31,3 36,3  |   |          |                                |
|  |   |          |                                |
|  |   |          |                                |
| 30 40 45   |   |          |                                |
|  | Varia-Orgaset T   | 50       | Z B 50 56 TR                   |
|  | laminate translucent smoke grey carcase: d. 56 cm                   | 60       | Z B 60 56 TR                   |
| 4000   | tray inserts with crosswise dividers                                | 80       | Z B 80 56 TR                   |
| The state of the s | and knife holder  | 90       | Z B 90 56 TR                   |
| 41,3   | 51,3  | 100      | Z B 100 56 TR<br>Z B 120 56 TR |
|  |   | 120      | Z D 120 30 1K                  |
|  |   |          |                                |
| 50   | 60  |          |                                |
| 71,3 81,3  | 91,3 111,3  |          |                                |
|  |   |          |                                |
| 80 90  | 100 120   |          |                                |
|  |   |          |                                |
|  |   | 1        |                                |

| Partition frame for drawer can be used vertically carcase: d. 56 cm WxHxD: 10x5x47.2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning; For individual planning of drawer partitioning.  Partition frame for drawer can be used vertically carcase: d. 56 cm WxHxD: 20x5x47.2 cm metal frame, carbon grey Planning; For individual planning of drawer partitioning.  WxHxD: 20x5x47.2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning; For individual planning of drawer partitioning.  All-purpose electrical sizer for drawer, silver-coloured measure: WxHxD: 34.2x7,5x37 cm O.75 m mains connection cable, Euro flat plug.  Planning: For Individual planning of drawer partitioning.  WxHxD: 20x5x7,5x37 cm O.75 m mains connection cable, Euro flat plug.  Planning: For IC/2/5 with cabinets in width of or michichees cancabe depth 56 cm. Wen installation only possible with carcase depth 56 cm. When installated at a later date, the front crossbar must be removed. Bread sliced from letr/right = hinged on L/R  Not available for UK.  All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: WxHxD: 39x7,5x37 cm O.75 m mains connection cable, Euro flat plug  Planning: For XI/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth 5 cm carc | Corone donth FC / CC cor |   |     |          |             |
|--|--------------------------|---|-----|----------|-------------|
| Carcase: d. 56 cm WXHXD: 20X5x47,2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning: For individual planning of drawer partitioning.  All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: WXHXD: 34,2x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For CI/C2/CS with cabinets in widths of 45, 50 and 60 cm. Worktops in 16 cm thickness cannot be used on units in 60 cm width. Installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left/right = hinged on L/R  Not available for UK.  All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: WXHXD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For XI/X2/XS with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth. Bread sliced from left/right = hinged on L/R   | Carcase depth 56 / 66 cm | can be used vertically carcase: d. 56 cm WxHxD: 10x5x47,2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning: For individual planning of drawer   | ÷\$ | Width cm |             |
| mounting on site, into standard drawer measure: WxHxD: 34,2x7,5x37 cm 0,75 m mains connection cable, Euro flat plug  Planning: For C1/C2/C5 with cabinets in widths of 45, 50 and 60 cm. Worktops in 1,6 cm thickness cannot be used on units in 60 cm width. Installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left/right = hinged on L/R  Not available for UK.  All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: WxHxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug  Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm acrases depth.  Bread sliced from left/right = hinged on L/R   | 20                       | can be used vertically carcase: d. 56 cm WxHxD: 20x5x47,2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning: For individual planning of drawer   |     | 20       | Z URS 20 CG |
| mounting on site, into standard drawer measure: WxHxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug  Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth. Bread sliced from left/right = hinged on L/R  | Sketch = L               | for drawer, silver-coloured mounting on site, into standard drawer measure: WxHxD: 34,2x7,5x37 cm 0,75 m mains connection cable, Euro flat plug  Planning: For C1/C2/C5 with cabinets in widths of 45, 50 and 60 cm. Worktops in 1,6 cm thickness cannot be used on units in 60 cm width. Installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left/right = hinged on L/R | ÷   |          | Z SAE       |
|  | Sketch = L               | for drawer, silver-coloured mounting on site, into standard drawer measure: WxHxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth. Bread sliced from left/right = hinged on L/R  |     |          | XZ SAE      |
|  |                          |   |     |          |             |

| Natural oak<br>Carcase depth 56 cm  | Description  | Width cm                                      | Items   |
|---|--|---|---|
| 11,4  | Set of china storage bowls height 6 cm, 4 pieces carcase: d. 56 cm 4 small bowls with lids in natural oak 1 support frame, natural oak Planning: Also suitable for drawers.                  | 11,4  | Z V 11 6 EI   |
| 21,1 31,1 36,1<br>30 40 45<br>ZB3056EI1 ZB4056EI1 ZB4556EI<br>41,1 51,1 71,1 81,1 | Cutlery insert, natural oak carcase: d. 56 cm  Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20. | 30<br>40<br>45<br>50<br>60<br>80<br>90<br>100 | Z B 30 56 El1 Z B 40 56 El1 Z B 45 56 El1 Z B 50 56 El1 Z B 60 56 El1 Z B 80 56 El1 Z B 90 56 El1 Z B 100 56 El1 Z B 120 56 El1 |
| 50 60 80 90 ZB5056El1 ZB8056El1 ZB8056El1 ZB8056El1                               | 15 15 20 15 15 15 20 15 15 15 15 15 15 15 15 15 15 15 15 15  |   |   |
| 41,1<br>51,1<br>00 00 00 00 00 00 00 00 00 00 00 00 00                            | Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 insert for kitchen rolls  | 50<br>60                                      | Z FU 50 56 EI2<br>Z FU 60 56 EI2  |
|   | Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 insert for kitchen rolls spice containers, Ø 5 cm   | 80<br>90<br>100<br>120                        | Z FU 80 56 EI2<br>Z FU 90 56 EI2<br>Z FU 100 56 EI2<br>Z FU 120 56 EI2  |
| 771,1 81,1 91,1<br>80 90 100<br>ZFU8056EI2 ZFU9056EI2 ZFU10056                    | 111,1<br>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |   |   |
|   | Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 2 trivets for pans 1 chopping board, maple 1 knife block insert 1 insert for kitchen rolls                       | 100<br>120                                    | Z FU 100 56 EI3<br>Z FU 120 56 EI3  |
| 91,1<br>111,1<br>00<br>2FU10056EI3<br>120<br>2FU12056EI3                          |  |   |   |
|   |  |   |   |

| Natural oak   |  |          |  |
|---|--|----------|--|
| Carcase depth 56 cm   | Description  | Width cm | Items  |
| 36,1 41,1 41,1 50 50 ZFU4556EI1 ZFU5056EI1  | Functional insert for drawer<br>natural oak<br>carcase: d. 56 cm<br>1 cutlery insert<br>16 spice containers, Ø 5 cm  | 45<br>50 | Z FU 45 56 EI1<br>Z FU 50 56 EI1                   |
| 51,1 71,1 81,1  | Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 24 spice containers, ø 5 cm Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.  | 60 80 90 | Z FU 60 56 EI1<br>Z FU 80 56 EI1<br>Z FU 90 56 EI1 |
| 10 15 000 10 15 |  |          |  |
|   | Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 24 spice containers, Ø 5 cm Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.  | 100 120  | Z FU 100 56 EI1<br>Z FU 120 56 EI1                 |
| 91,1 111,1 20 20 15 15 20 20 15 20 20 25 25 25 25 25 25 25 25 25 25 25 25 25  |  |          |  |
| 41,1<br>15 15 15 15 15 15 15 15 15 15 15 15 15 1  | Insert for cutlery and cooking utensil, natural oak carcase: d. 56 cm  Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.   | 50 60    | Z BK 50 56 EI1<br>Z BK 60 56 EI1                   |
| 16,4  | U-tray insert natural oak, width 16,4 cm carcase: d. 56 cm LxWxH: 47,2x16,4x5,3 cm  Planning: Suitable for drawers from carcase width 30 cm. The spice container insert ZGD15CG, the insert for kitchen rolls ZFRE15EI and the knife block insert ZMBE15EI can be positioned in the U-tray insert. | 16,4     | Z USE 15 EI  |
|   | Bottle rack, natural oak<br>for 30 cm wide<br>pull-out larder base unit<br>rack for 3 bottles, Ø 6-8,8 cm,<br>max. length 37,5 cm<br>Planning: Only suitable for 30 cm carcase width.<br>The rack can also be fitted in the top internal<br>drawer of the pull-out larder base units.              | 30       | Z FA 3 EI  |
|   |  |          |  |

| Natural oak<br>Carcase depth 66 cm   | Description  |              | Width cm                               | Items   |
|--|--|--------------|--|---|
| 21,1 31,1 36,1<br>30 40 45<br>ZB3010EI1 ZB4010EI1 ZB4510EI1<br>51,1 71,1 81,1<br>60 80 90<br>ZB6010EI1 ZB8010EI1 ZB9010EI1 | Depth adjustment cutlery insert natural oak, depth 10 cm for carcase depth 66 cm  41,1 50 ZB5010El1 91,1 100 ZB10010El1  |              | 30<br>40<br>45<br>50<br>60<br>80<br>90 | Z B 30 10 El1<br>Z B 40 10 El1<br>Z B 45 10 El1<br>Z B 50 10 El1<br>Z B 60 10 El1<br>Z B 80 10 El1<br>Z B 90 10 El1<br>Z B 100 10 El1 |
| Accessories – cutlery insert<br>Carcase depth 56 cm  | Description  |              | Width cm                               | Items   |
| 10   | 16 spice containers, ø 5 cm carbon grey, width 10 cm carcase: d. 56 cm without spices with labels for spice containers with spice container insert Planning: Is positioned on a free field (10).   |              | 10                                     | Z GD 10 CG  |
| 15<br>300<br>300<br>300<br>300<br>300<br>300<br>300<br>300   | 24 spice containers, ø 5 cm carbon grey, width 15 cm carcase: d. 56 cm without spices with labels for spice containers with spice container insert  Planning: Is positioned on a free field (15). Can also be combined with the U-tray insert. | ÷            | 15                                     | Z GD 15 CG  |
| 20<br>3000<br>3000<br>3000<br>3000<br>3000<br>3000<br>3000<br>3  | 32 spice containers, ø 5 cm carbon grey, width 20 cm carcase: d. 56 cm without spices with labels for spice containers with spice container insert Planning: Is positioned on a free field (20).   | ÷            | 20                                     | Z GD 20 CG  |
| 15   | Insert for kitchen rolls natural oak, width 15 cm carcase: d. 56 cm for 2 rolls with aluminium cover Planning: Is positioned on a free field (15). Can also be combined with the U-tray insert.  | ÷            | 15                                     | Z FRE 15 EI   |
| 15   | Knife block insert natural oak, width 15 cm carcase: d. 56 cm without knives Planning: Is positioned on a free field (15). Can also be combined with the U-tray insert.  | -\$\dar{\pi} | 15                                     | Z MBE 15 EI   |
| 20   | Trivet for pans and chopping board, maple, width 20 cm carcase: d. 56 cm 2 trivets for pans, stainless steel 1 chopping board, maple Planning: Is positioned on a free field (20).   | ÷.           | 20                                     | Z ARSB 20 AH  |
|  |  |              |  |   |

#### Pull-out equipment

| Natural oak<br>Carcase depti | n 56 / 66 cm                                  | Description  |                | Width cm                     | Items  |
|------------------------------|---|--|----------------|------------------------------|--|
| 71,1                         | 51,1<br>                                      | Perforated baseboard with natural oak carcase: d. 56 cm 1 set of rods without plates  Planning: Number of rods ZLRS6056EI = 8 pieces ZLRS8056EI = 12 pieces ZLRS9056EI = 12 pieces ZLRS10056EI = 16 pieces ZLRS12056EI = 16 pieces 31,1  111,1 | th rods        | 60<br>80<br>90<br>100<br>120 | Z LRS 60 56 EI<br>Z LRS 80 56 EI<br>Z LRS 90 56 EI<br>Z LRS 100 56 EI<br>Z LRS 120 56 EI |
| 80<br>ZLRS8056EI             | 90<br>ZLRS9056EI                              | 120<br>ZLRS10056EI ZLRS12056EI   |                |                              |  |
|                              | 51,1<br>: ::::::::::::::::::::::::::::::::::: | Perforated baseboard wit<br>separation elements, naticarcase: d. 56 cm<br>1 perforated baseboard<br>2 long separation elemen<br>4 short separation eleme<br>1 drainer, stainless steel   | ural oak<br>ts | 60<br>80<br>90<br>100<br>120 | Z LTS 80 56 EI<br>Z LTS 90 56 EI   |
| 71,1<br>                     | 81,1<br>                                      | 91,1 111,1   |                |                              |  |
| 71,1                         | 51,1<br>                                      | Perforated baseboard with natural oak carcase: d. 66 cm 1 set of rods without plates  Planning: Number of rods ZLRS6066EI = 12 pieces ZLRS8066EI = 16 pieces ZLRS9066EI = 16 pieces ZLRS9066EI = 20 pieces                                     | th rods        | 60<br>80<br>90<br>100        |  |
| 80<br>ZLRS8066EI             | 90<br>ZLRS9066EI                              | 100<br>ZLRS10066EI   |                |                              |  |
|                              | 51,1<br>                                      | Perforated baseboard wit<br>separation elements, nate<br>carcase: d. 66 cm<br>1 perforated baseboard<br>2 long separation elemen<br>4 short separation eleme<br>1 drainer, stainless steel   | ural oak<br>ts | 60<br>80<br>90<br>100        | Z LTS 60 66 EI<br>Z LTS 80 66 EI<br>Z LTS 90 66 EI<br>Z LTS 100 66 EI                    |
| 71,1<br>80<br>ZLTS8066EI     | 81,1<br>90<br>ZLTS9066EI                      | 91,1<br>   |                |                              |  |
|                              |   |  |                |                              |  |

### Pull-out equipment

| Natural oak                        |   |                              |  |
|------------------------------------|---|------------------------------|--|
| Carcase depth 56 / 66 cm           | Description   | Width cm                     | Items  |
| 11,4                               | Set of china storage bowls height 17,2 cm, 4 pieces carcase: d. 56 cm 4 large bowls with lids in natural oak 1 support frame, natural oak   | 11,4                         | Z V 11 17 EI   |
| 11,4                               | Set of china storage bowls<br>height 12,5 cm, 4 pieces<br>carcase: d. 56 cm<br>4 medium-sized bowls with<br>lids in natural oak<br>1 support frame, natural oak   | 11,4                         | Z V 11 12 EI   |
| 56                                 | Wooden tray oak, base with anti-slip coating, white LxWxH: 56x30x5,5 cm for hooking in 60 cm wide pull-outs   | 60                           | Z TAB 60 EI  |
|                                    | Drawer liner w. anti-slip mat, extension for pull-outs 1 metal liner, agate grey 1 anti-slip mat, laminate carbon grey height 5,0 cm, depth 20,4 cm Planning: Can be planned for pull-outs from front height of 32,1 cm, not possible for internal pull-outs. | 60<br>80<br>90<br>100<br>120 | Z ZA 60 AG<br>Z ZA 80 AG<br>Z ZA 90 AG<br>Z ZA 100 AG<br>Z ZA 120 AG |
| Carcase depth 35 / 46 / 56 / 66 cm | Description   | Width cm                     | Items  |
|                                    | Crosswise divider set for pull-out carcase: d. 46/56/66 cm 4 crosswise dividers agate grey  | 30                           | Z QT 30 AG   |
|                                    | Cross + lengthwise divider set  | 40                           | Z QT 40 AG   |
|                                    | Cross + lengthwise divider set for pull-out carcase: d. 35/46/56/66 cm 2 crosswise dividers agate grey 4 lengthwise dividers agate grey Planning: For IZBKD56RE, IZBKD56GL, IZBKD56BC not possible.   | 40<br>45<br>50<br>60         | Z QT 45 AG<br>Z QT 50 AG<br>Z QT 60 AG                               |

### Pull-out equipment

| Carcase depth 46 / 56 / 66 cm | Description  | Width cm                     | Items                                   |
|-------------------------------|--|------------------------------|---|
|                               | Lid holder, agate grey  Planning: Installation on the frames of the pull-out.  Distance to the front can be varied. Lids can be stacked behind one another, also possible for large pan lids with ø 30 cm. Can be planned for pull-outs from front height of 38,6 cm.  | 60<br>80<br>90<br>100<br>120 | Z TH 80 AG<br>Z TH 90 AG<br>Z TH 100 AG |
| 22                            | Partition frame for pull-out can be used vertically and horizontally carcase: d. 46/56/66 cm WxHxD: 22x11x37 cm metal frame, carbon grey, magnetic on one side 1 adjustable partition wall, laminate carbon grey   | 22                           | Z URZ 22 CG                             |
| 24                            | Partition frame for pull-out can be used vertically and horizontally carcase: d. 46/56/66 cm WxHxD: 24x11x27 cm metal frame, carbon grey, magnetic on one side 1 adjustable partition wall, laminate carbon grey   | 24                           | Z URZ 24 CG                             |
|                               | Pantry box for storing fruit and vegetables carcase: d. 56 cm plastic box, white in pull-out 60 cm for hooking in with sliding glass cover external measurement: HxWxD 23,2x56x49,1 cm internal measurement: HxWxD 20,5x50,7x46 cm 1 plastic grid, removable 1 plastic insert with handle, removable WxHxD: 24,2x12x24,2 cm height with handle: 18,1 cm  Planning: Can be planned for pull-outs from front height of 32,1 cm, not possible for internal pull-outs. | 60                           | Z PB 60 56                              |
|                               | Plate rack set 2 plate racks anthracite coloured individually adjustable for plate diameter 18-32 cm L: 25-40 cm, W: 17 cm, H: 17 cm   |                              | Z TH                                    |
|                               | Accessory set h. 21,2 cm for cooking utensils for 30 cm wide pull-out larder base unit 2 boxes 1 L, 2 boxes 2 L 2 lids to fit 1 L and 2 L boxes 1 box 2,1 L, 2 small dividers 1 anti-slip mat Planning: Box dimensions (HxWxD) box 1 L (9,5x11,5x15 cm) / box 2,1 L (9,5x11,5x30 cm) with lid, +1,7 cm in height.  | 30                           | Z AS KU                                 |
|                               |  |                              |   |

### Drawer/pull-out equipment

| Carcase depth 35 / 46 / 56 / 66 cm | Description  | Width cm | Items           |
|------------------------------------|--|----------|-----------------|
|                                    | Anti-slip mat for drawers  | 21,1     | Z EM 30 35 CG   |
|                                    | and pull-outs  | 31,1     | Z EM 40 35 CG   |
|                                    | for carcase depth 35 cm<br>laminate carbon grey  | 36,1     | Z EM 45 35 CG   |
|                                    | tarrillate Carbon grey   | 41,1     | Z EM 50 35 CG   |
|                                    |  | 51,1     | Z EM 60 35 CG   |
|                                    |  | 71,1     | Z EM 80 35 CG   |
|                                    |  | 81,1     | Z EM 90 35 CG   |
|                                    |  | 91,1     | Z EM 100 35 CG  |
|                                    |  | 111,1    | Z EM 120 35 CG  |
|                                    | Anti-slip mat for internal/  | 21,1     | Z EM 30 46 CG   |
|                                    | drawers + internal/pull-outs   | 31,1     | Z EM 40 46 CG   |
|                                    | for carcase depth 46 cm<br>laminate carbon grey  | 36,1     | Z EM 45 46 CG   |
|                                    | tarrillate carbon grey   | 41,1     | Z EM 50 46 CG   |
|                                    |  | 51,1     | Z EM 60 46 CG   |
|                                    |  | 71,1     | Z EM 80 46 CG   |
|                                    |  | 81,1     | Z EM 90 46 CG   |
|                                    |  | 91,1     | Z EM 100 46 CG  |
|                                    |  | 111,1    | Z EM 120 46 CG  |
|                                    | Anti-slip mat for internal/  | 21,1     | Z EM 30 56 CG   |
|                                    | drawers + internal/pull-outs   | 31,1     | Z EM 40 56 CG   |
|                                    | for carcase depth 56 cm  | 36,1     | Z EM 45 56 CG   |
|                                    | laminate carbon grey   | 41,1     | Z EM 50 56 CG   |
|                                    |  | 51,1     | Z EM 60 56 CG   |
|                                    |  | 71,1     | Z EM 80 56 CG   |
|                                    |  | 81,1     | Z EM 90 56 CG   |
|                                    |  | 91,1     | Z EM 100 56 CG  |
|                                    |  | 111,1    | Z EM 120 56 CG  |
|                                    |  | 21,1     | Z EM 30 66 CG   |
|                                    | drawers and pull-outs  | 31,1     | Z EM 40 66 CG   |
|                                    | for carcase depth 66 cm  | 36,1     | Z EM 45 66 CG   |
|                                    | laminate carbon grey   | 41,1     | Z EM 50 66 CG   |
|                                    |  | 51,1     | Z EM 60 66 CG   |
|                                    |  | 71,1     | Z EM 80 66 CG   |
|                                    |  | 81,1     | Z EM 90 66 CG   |
|                                    |  | 91,1     | Z EM 100 66 CG  |
| 4                                  | Anti-slip mat for int. drawers   | 38,6     | Z EM D 50 56 CG |
|                                    | and internal pull-outs   | 48,6     | Z EM D 60 56 CG |
|                                    | with spacer strip<br>for carcase depth 56 cm<br>laminate carbon grey   | .5,5     |                 |
|                                    | SpaceFlexx – vers. organisat. system for storage containers carcase: d. 56 cm WxHxD: 47,2x13x47,2 cm can be used in pull-out from 60 cm sturdy frame in anthracite/chrome with freely adjustable dividing bands made of flexible fabric in anthracite, nesttex Inside dividing bands washable at 30 degrees Planning: For pull-outs in carcase depth 56 cm | 60       | Z SF 60 56      |
|                                    | and from 60 cm width.  |          |                 |

#### Accessories

|       | Description   |                  | Width cm                   | Items                         |
|-------|---|------------------|----------------------------|-------------------------------|
|       | Metal moisture protect. shield<br>for base unit for sink<br>carcase: d. 56 cm<br>light metal plate, at side and back with<br>raised edge, angled down at front<br>to cover bottom edge  |                  | 30<br>40<br>45<br>50<br>60 | Z FB 40<br>Z FB 45<br>Z FB 50 |
|       | Metal moisture protect. shield<br>for 2-door base unit for sink<br>carcase: d. 56 cm<br>Planning: Installation on site. No width and<br>depth reduction possible on site.   |                  | 80<br>90<br>100<br>120     | Z FB 90<br>Z FB 100           |
| 60 60 | Towel holder knob, round, retracting, 4 pcs knob ø 1,95 cm, h. 2 cm, laminate stainless steel col. knob projects by 0,7 cm when extended hook can be retracted by turning the knohole diameter ø 1,2 cm drilling depth at least 1,8 cm Planning: Installation on site.  | ob               |                            | Z HH KV 4                     |
|       | Towel rail 1 tube 2 supports 2 end caps Planning: Mounted on carcase sides, recess back panels. Tube can be shortened.  | - <del>\</del> \ | 60<br>120                  |                               |
|       | Towel holder, onyx black for door, pullout, front support panel with grip ledge behind  LXHXD: 50x3,3x6,5 cm  3,8 cm projection to the front clipping onto fronts in thickness of 19-22 mm  Planning: Felt liner for evening out thickness, supplied loose, stick on before installation. Only suitable for X articles. |                  |                            | Z HTH 50 OS                   |
|       | Portable bottle rack agate grey, for 8 bottles WxHxD: 20x31x41 cm Planning: For 30 cm wide pull-out.  |                  |                            | Z FLK                         |
|       | Baking sheet holder  HxWxD: 12,5x14x36 cm  2 shaped wire parts, chrome-plated  3 tiers for storing baking sheets, for unit widths 50, 60 cm  Planning: Installation on site. Installation in base units and tall units.   | -\$              |                            | Z BH                          |
|       | Spice rack for 12 spice cont. agate grey WxHxD: 20x43x6,5 cm without spice containers, for wall unit width 30/40 cm   |                  | 20                         | Z GO 12                       |
|       |   |                  |                            |                               |

#### Accessories

|      | Description   | Width cm | Items          |
|------|---|----------|----------------|
|      | Spice rack for 24 spice cont. agate grey WxHxD: 38x43x6,5 cm without spice containers, for wall unit width 45/50/60 cm  | 38       | Z GO 24        |
| 21,1 | Cartridge rack for base unit for water treatment systems carcase: d. 56 cm WxHxD: 21,1x1,3x47,2 cm laminate carbon grey rack for 3 cartridges Planning: For UWSI, UWSS, XUWSI. Suitable for carcase width 30 cm and 60 cm. The shelf is positioned in the internal drawer/drawer.   | 38       | Z KA 3 CG      |
|      | Hook rail with 4 hooks for carcase side for broom unit agate grey WxHxD: 32,7x4,2x3,1 cm 2 euro screws  |          | Z HLB KS4      |
|      | Door shelf for larder unit agate grey external measurement: HxWxD 8,2x39,7x12,4 cm internal measurement: HxWxD 8x39,5x11 cm Planning: Carry load 5 kg per door shelf.   |          | Z TA V         |
|      | Door shelf with wood railing onyx black railing in natural oak height 10,4 cm, depth 9,3 cm with anti-slip mat storage shelf: WxHxD: 34,4x10,2x8 cm Planning: Only suitable for multifunctional top unit fitted with door. Only fit one door shelf with railing per door. Maximum load 4 kg. Can otherwise only be mounted to fixed elements, such as carcase sides, support side panels, recess back panels. | 34,8     | Z TRH 35 EI OS |
|      | Door shelf with wood railing onyx black railing in natural oak height 10,4 cm, depth 9,3 cm with anti-slip mat storage shelf: WxHxD: 44,4x10,2x8 cm   | 44,8     | Z TRH 45 EI OS |
|      | Door shelf with wood railing onyx black railing in natural oak height 10,4 cm, depth 9,3 cm with anti-slip mat storage shelf: WxHxD: 54,4x10,2x8 cm   | 54,8     | Z TRH 55 EI OS |



# Country Style elements









The Country Style brings a natural and cosy feel to your kitchen. The matching details complete the overall impression: those who appreciate a natural, light, feel-good atmosphere would be well advised to choose a Country Style kitchen. Above all, the special details, such as the traditional plate shelf, the curved wall brackets or various shelf elements, convey the typical style of country chic. But the Country Style elements are not only visually eye-catching, more importantly, they ensure tidiness, sufficient storage space and clutter-free work surfaces.

## Country Style elements

|        | Description  |                      | Width cm  | Items                  |
|--------|--|----------------------|-----------|------------------------|
| - Life | Railing system graphite  1 railing, HxD: 2,5x2,4 cm  6 hooks, per WxHxD: 1,5x4,5x3,2 cm  Planning: Two 0.8 cm dia. drill holes set apart at a distance of 88 cm must be provided for mounting RS90G to the wall.  Three 0.8 cm dia. drill holes set apart at a distance of 59 cm must be provided for mounting RS120G to the wall. |                      | 90<br>120 | RS 90 G<br>RS 120 G    |
|        | Hook graphite 1 hook WxHxD: 1,5x4,5x3,2 cm Planning: For railing system graphite.  | \\ \tag{\frac{1}{2}} | 1,5       | Z RS H G               |
|        | Holder for kitchen roll graphite WxHxD: 37,7x23,6x13,9 cm Planning: For railing system graphite.   | \\ \tag{+}           | 37,7      | Z RS HKR G             |
|        | Storage shelf for vinegar/oil<br>graphite<br>WxHxD: 30x22x13,9 cm<br>Planning: For railing system graphite.  | \tilde{\psi}         | 30        | Z RS AEO G             |
|        | Open shelf unit for plates height 91 cm, depth 16,5 cm 3 fixed shelves 3 railings back panel with groove structure   |                      | 60<br>90  | TR 60 91<br>TR 90 91   |
| teet   | Open shelf element with hooks<br>height 21 cm, depth 21 cm<br>Planning: For mounting under support panel<br>shelf with shelf supports ZSB2.<br>Open shelf element does not bear any load.  |                      | 50<br>80  | REH 50 21<br>REH 80 21 |
|        | Open shelf element with railing height 21 cm, depth 21 cm Planning: For mounting under support panel shelf with shelf supports ZSB2. Open shelf element does not bear any load.  |                      | 50<br>80  | RES 50 21<br>RES 80 21 |

# Flex-Boxes natural oak








The elegant outer appearance of the kitchen places special demands on its interior. A continued sense of order, even where the eye does not always wander, is made possible by a modern, innovative solution for storing and sorting: the Flex-Boxes. These practical boxes can be used in many different ways and tailored to fit the units. Stackable and movable, they accommodate even the smallest items. The interstices between the Flex-Boxes also provide space for pots and pans. Flex-Boxes are also welcome helpers for tidying and arranging items in the wall units or tall units.


#### Flex-Boxes | General

| atural oak<br>arcase depth 35 / 46 / 56 / 66 cm | Description   | Width cm | Items  |
|---|---|----------|--------|
|   | Flex-Box 1, natural oak<br>carcase: d. 56/66 cm<br>LxWxH: 47,2x23,6x10,3 cm   |          | FB1    |
| FB1   | Planning: Suitable for pull-out units<br>from carcase width 40 cm.<br>Suitable for H.60VEHM.<br>Stackable to FB1.   |          |        |
|   | LxWxH: 33,6x23,6x10,3 cm  | <u></u>  | FB 2   |
| FB2   | Planning: Suitable for pull-out units from carcase width 40 cm. Suitable for H.40BAHM, H.40VEHM, H.50VEHM. Stackable to FB1 and FB2.                        |          |        |
|   | LxWxH: 23,6x23,6x10,3 cm  | <u> </u> | FB 3   |
| FB3   | Planning: Suitable for pull-out units from carcase width 40 cm and wall units with shelves. Suitable for H.30BAHM, H.30VEHM. Stackable to FB1, FB2 and FB3. |          |        |
|   | Flex-Box 4, natural oak<br>carcase: d. 46/56/66 cm<br>LxWxH: 29,9x11,8x10,3 cm  | <u></u>  | FB 4   |
| FB4   | Planning: Suitable for pull-out units from carcase width 30 cm.<br>Suitable for H.40BAHM.   |          |        |
|   | Flex-Box 5, natural oak<br>carcase: d. 35/46/56/66 cm<br>LxWxH: 23,6x23,6x5,3 cm  |          | FB 5   |
| FB5   | Planning: Suitable for drawers from carcase width 40 cm and wall units with shelves. Stackable to FB1, FB2 and FB3.   |          |        |
|   | Flex-Box 6, natural oak<br>carcase: d. 46/56/66 cm<br>LxWxH: 30x11,8x5,3 cm   | <u></u>  | FB 6   |
| FB6   | Planning: Suitable for drawers from carcase width 30 cm and wall units with shelves. Stackable to FB4.  |          |        |
|   | Flex-Box cutlery insert, natural oak carcase: d. 56 cm WxHxD: 30x5,3x47,2 cm  |          | FBB 1  |
|   | Planning: Suitable for drawers from carcase width 40 cm. For combinations with Flex-Boxes.  |          |        |
|   | Metal division for Flex-Boxes LxWxH: 22x15x8,9 cm metal, carbon grey  |          | FBMT 1 |
| FBMT 1  | Planning: Suitable for FB1, FB2 and FB3.  |          |        |
|   | LxWxH: 10,2x10x8,9 cm   |          | FBMT 2 |
|   | metal, carbon grey Planning: Suitable for FB4.  |          |        |


#### Flex-Boxes | Drawers



#### Flex-Boxes | Pull-outs




#### Flex-Boxes | Pull-outs



#### Flex-Boxes | General



# Panel system accessories



The recess system – everything close at hand! Whether knives, fresh herbs or spice jars – cooking utensils are perfectly placed wherever they are needed. The special tablet holder keeps your hands free when following a recipe. The panel system provides the opportunity to equip free spaces on the wall intelligently. A fresh touch is provided by the panel garden, a receptacle for herbs that can simply be hung in the intermediate profile of the recess profile. The optional LED lighting helps keep herbs fresh for longer and is particularly recommended in darker areas of the kitchen. The lighting is controlled by a timer that dispenses light for 14 hours – the perfect solution for urban gardeners.

#### Panel accessories

| Accessories<br>Stainless steel coloured or onyx black | Description   | Width cm | Items          |
|---|---|----------|----------------|
|   | Storage compartment for vinegar/oil,<br>stainless steel coloured<br>natural oak, plywood<br>WxHxD: 20x30,5x12,2 cm<br>internal measurement: WxHxD: 18,4x12,5x11,2 cm<br>anti-slip mat, laminate carbon grey                     |          | PAFEO 20 EI    |
|   | Storage compartment for vinegar/oil, onyx black natural oak, plywood WxHxD: 20x30,5x12,2 cm internal measurement: WxHxD: 18,4x12,5x11,2 cm anti-slip mat, laminate carbon grey  |          | PAFEO 20 EI OS |
|   | Open shelf element stainless steel coloured natural oak, plywood WxHxD: 43x12,6x12,2 cm Planning: Suitable for china bowls, 4 pieces.   |          | PRE 43 EI      |
|   | Open shelf element<br>onyx black<br>natural oak, plywood<br>WxHxD: 43x12,6x12,2 cm  |          | PRE 43 EI OS   |
|   | Level shelf, stainless steel coloured natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile Planning: Suitable for china bowls, 4 pieces.   |          | PBG 43 EI      |
|   | Level shelf, onyx black natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile   |          | PBG 43 EI OS   |
|   | Holder for letters and notes<br>stainless steel coloured<br>natural oak, plywood<br>WxHxD: 25x16,7x7 cm<br>holder can also be placed on the worktop   |          | PHBN 25 EI     |
|   | Holder for letters and notes onyx black natural oak, plywood WxHxD: 25x16,7x7 cm holder can also be placed on the worktop   |          | PHBN 25 EI OS  |
|   | Holder for 3 wine bottles stainless steel coloured shelves in natural oak, solid wood WxHxD: 40x34,7x10,4 cm  Planning: Cannot be planned in combination with Emotion LED recess lighting PLDENZP and recess height of 48,1 cm. | 40       | PHW 3 40 EI    |
|   | Holder for 3 wine bottles<br>onyx black<br>shelves in natural oak, solid wood<br>WxHxD: 40x34,7x10,4 cm   | 40       | PHW 3 40 EI OS |
|   | Hook set<br>stainless steel coloured<br>3 hooks<br>WxHxD: 1,5x5,5x1,2 cm  |          | PHS            |
|   | Hook set onyx black 3 hooks WxHxD: 1,5x5,5x1,2 cm   |          | PHS OS         |

#### Panel accessories

| Accessories                            |  |          |             |
|--|--|----------|-------------|
| Stainless steel coloured or onyx black | Description  | Width cm | Items       |
|  | Info board with rack and foil-wrapped writing surface stainless steel coloured  WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement:  WxHxD: 19,9x27,6x6,1 cm  Planning: Suitable for chalk pen. Cannot be planned in combination with Emotion LED recess lighting PLDENZP and recess height of 48,1 cm. | 40       | PIB 40      |
|  | Info board with rack and foil-wrapped writing surface onyx black WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement: WxHxD: 19,9x27,6x6,1 cm  | 40       | PIB 40 OS   |
|  | Holder for tablet computer stainless steel coloured WxHxD: 20x30,6x10,4 cm holder can also be placed on the worktop, individual positioning of the tablet computer with separately supplied felt strips  |          | PHT 20      |
|  | Holder for tablet computer onyx black WxHxD: 20x30,6x10,4 cm holder can also be placed on the worktop, individual positioning of the tablet computer with separately supplied felt strips  |          | PHT 20 OS   |
|  | Holder for kitchen roll<br>stainless steel coloured<br>WxHxD: 30x18,5x14,5 cm  |          | PHKR 30     |
|  | Holder for kitchen roll<br>onyx black<br>WxHxD: 30x18,5x14,5 cm  |          | PHKR 30 OS  |
|  | Kitchen roll dispenser for<br>2 rolls, stainless steel coloured<br>WxHxD: 35x19,1x7,2 cm<br>2 bars with removable rubber<br>caps for weighing down the roll,<br>length 30,8 cm, ø 1,4 cm   | 35       | PFA 2 35    |
|  | Kitchen roll dispenser for 2 rolls, onyx black WxHxD: 35x19,1x7,2 cm 2 bars with removable rubber caps for weighing down the roll, length 30,8 cm, ø 1,4 cm  | 35       | PFA 2 35 OS |
|  | Hook rail with 6 hooks<br>for cooking utensils<br>stainless steel coloured<br>WxHxD: 30x6,5x3,5 cm   |          | PHL 30      |
|  | Hook rail with 6 hooks<br>for cooking utensils<br>onyx black<br>WxHxD: 30x6,5x3,5 cm   |          | PHL 30 OS   |
|  |  |          |             |

| Accessories<br>Stainless steel coloured or onyx black  | Description  | Width cm | ltems            |
|--|--|----------|------------------|
| The state of the s | Knife block for 6 knives stainless steel coloured natural oak WxHxD: 30x34x6,5 cm Planning: Cannot be planned in combination with Emotion LED recess lighting PLDENZP and recess height of 48,1 cm.                          | _        | PMB 6 30 EI      |
|  | Knife block for 6 knives<br>onyx black<br>natural oak<br>WxHxD: 30x34x6,5 cm   |          | PMB 6 30 EI OS   |
|  | Magnetic board for 6 knives or keys<br>stainless steel coloured<br>natural oak<br>WxHxD: 30x12,5x4 cm  |          | PMB 6 M 30 EI    |
|  | Magnetic board for 6 knives or keys<br>onyx black<br>natural oak<br>WxHxD: 30x12,5x4 cm  |          | PMB 6 M 30 EI OS |
|  | Magnetic holder for 15 spice containers natural oak WXHXD: 18,4x30,6x1,5 cm magnets for holding the spice containers 16 spice containers included without spices with labels for spice containers                            |          | PHG 15 M 18 EI   |
|  | Magnetic holder for 15 spice containers stainless steel coloured WxHxD: 18,4x30,6x0,4 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers |          | PHG 15 M 18      |
|  | Magnetic holder for 15 spice containers onyx black WXHXD: 18,4x30,6x0,4 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers               |          | PHG 15 M 18 OS   |
|  | Storage shelf for washing-up utensils, stainless steel coloured WxHxD: 25x19,1x10,4 cm 3 small cutouts for sponge 1 large cutout for tea towel surface for keeping other utensils  | 25       | PASU 25          |
|  | Storage shelf for washing-up utensils, onyx black WxHxD: 25x19,1x10,4 cm 3 small cutouts for sponge 1 large cutout for tea towel surface for keeping other utensils  | 25       | PASU 25 OS       |
|  |  |          |                  |

| ccessories<br>tainless steel coloured or onyx black | Description  | Width cm | Items      |
|---|--|----------|------------|
|   | Cup for cooking utensils<br>stainless steel coloured<br>WxHxD: 10,4x30,6x10,4 cm<br>1 china bowl, height 12,5 cm   |          | PKK 10     |
|   | Cup for cooking utensils<br>onyx black<br>WxHxD: 10,4x30,6x10,4 cm<br>1 china bowl, height 12,5 cm   |          | PKK 10 OS  |
|   | Storage shelf for vinegar/oil<br>stainless steel coloured<br>WxHxD: 20x30x10 cm  |          | PAEO 20    |
|   | Storage shelf for vinegar/oil<br>onyx black<br>WxHxD: 20x30x10 cm  |          | PAEO 20 OS |
|   | Suspended shelf, stainless steel coloured WxHxD: 60x18x10 cm shelf positioned 18 cm below the intermediate profile Planning: Suitable for china bowls, 6 pieces. |          | PBA 60     |
|   | Suspended shelf, onyx black WxHxD: 60x18x10 cm shelf positioned 18 cm below the intermediate profile   |          | PBA 60 OS  |
|   | Level shelf, stainless steel coloured WxHxD: 60x1x10 cm shelf positioned at height of the intermediate profile Planning: Suitable for china bowls, 6 pieces.     |          | PBG 60     |
|   | Level shelf, onyx black WxHxD: 60x1x10 cm shelf positioned at height of the intermediate profile   |          | PBG 60 OS  |
|   | Set of china bowls 4 pieces 2 small bowls, height 6 cm 2 medium-sized bowls, height 12,5 cm  |          | CUPS -4    |
|   | Set of china bowls 6 pieces 4 small bowls, height 6 cm 2 medium-sized bowls, height 12,5 cm  |          | CUPS -6    |
|   |  |          |            |
|   |  |          |            |
|   |  |          |            |

| Small china bowl   height 6 cm   WxD: 10,1x10,1 cm   WxD: 10,1x10,1 cm   WxD: 10,1x10,1 cm   10,1   Z CUPS 6  | ccessories<br>tainless steel coloured or onyx black | Description   | Width cm | Items     |
|---|---|---|----------|-----------|
| Recess open shelf unit carcase: h. 30 cm, d. 14,5 cm width 60 cm 1 fixed shelf Planning: Measurements cannot be changed.  Order detail: Open shelf unit 1,2 sation      |   | Small china bowl<br>height 6 cm<br>WxD: 10,1x10,1 cm  | 10,1     | Z CUPS 6  |
| Recess open shelf unit carcase: h. 30 cm, d. 14,5 cm width 60 cm 1 fixed shelf Planning: Measurements cannot be changed. Order detail: Open shelf unit colour 11- Satin |   | height 12.5 cm  | 10,1     | Z CUPS 12 |
| carcase: h. 30 cm, d. 14,5 cm width 60 cm 1 fixed shelf Planning: Measurements cannot be changed. Order detail: Open shelf unit colour 11- Satin                        |   | Large china bowl<br>height 17,2 cm<br>WxD: 10,1x10,1 cm   | 10,1     | Z CUPS 17 |
|   |   | carcase: h. 30 cm, d. 14,5 cm width 60 cm 1 fixed shelf Planning: Measurements cannot be changed. | 60       | PNR 60    |
| PASU 25 OS         PIB 40 OS         PFA 2 35 OS         PHW 3 40 EI OS         PHPT 14 OS  | ALTER AND       |   |          |           |

| tainless steel coloured or onyx black                               | Description  | Width cm | Items      |
|---|--|----------|------------|
|   | Holder for planter with watering system   stainless steel coloured WXHXD: 14,1x30,6x14,3 cm rack with insert and cross plate planter insert internal measurement: WXHXD: 13,6x11x13,6 cm 1 water tray 1 watering stick   | 14,1     | PHPT 14    |
|   | Holder for planter with watering system   onyx black WxHxD: 14,1x30,6x14,3 cm rack with insert and cross plate planter insert internal measurement: WxHxD: 13,6x11x13,6 cm 1 water tray 1 watering stick   | 14,1     | PHPT 14 OS |
|   | Panel garden without lighting<br>stainless steel coloured<br>WxHxD: 50x30,5x16,4 cm<br>1 panel garden container<br>laminate onyx black<br>WxHxD: 49x11,3x14,8 cm   |          | PG 50      |
|   | Panel garden without lighting onyx black WxHxD: 50x30,5x16,4 cm 1 panel garden container laminate onyx black WxHxD: 49x11,3x14,8 cm  |          | PG 50 OS   |
|   | Panel garden with lighting stainless steel coloured, 4,8W energy efficiency class E light col.temp. approx. 6000K lumens: 325 lm 1 converter 230V/12V/15W integrated timer, 14 hours on, 10 hours off 0,1 m cable connection with LED plug 1,8 m connection cable with LED jack/LED plug 2 m mains connection cable with Euro plug WxHxD: 50x44,2x16,4 cm 1 panel garden container, laminate onyx black WxHxD: 49x11,3x14,8 cm  Planning: Can be planned in combination with Emotion LED recess lighting PLDENZP if the panel directly below the LED recess lighting is at least 37 cm high. Storage space for converter |          | PGB 50     |
| This product contains an energy efficiency<br>class E light source. | Panel garden with lighting onyx black, 4,8W energy efficiency class E light col.temp. approx. 6000K lumens: 325 lm 1 converter 230V/12V/15W integrated timer, 14 hours on, 10 hours off 0,1 m cable connection with LED plug 1,8 m connection cable with LED jack/LED plug 2 m mains connection cable with Euro plug WxHxD: 50x44,2x16,4 cm 1 panel garden container, laminate onyx black WxHxD: 49x11,3x14,8 cm   |          | PGB 50 OS  |











Organisation down to the last detail. Where do you put your keys, tablet or newspaper? With the Orga Wall, the kitchen becomes a workstation – the centre of life! Integrated on the support side panels to save space, the system makes perfect use of free carcase areas. The filigree panel profiles can be easily fitted with various organisational elements such as key racks, tablet holders or newspaper holders and thus serve as everyday organisational aids. Thanks to the cable box and inductive charging station, it also allows the space-saving storage of digital end devices and functions as an integrated charging facility for smartphones, tablet and the like.

| accessories<br>Stainless steel coloured or onyx black | Description   | Width cm | Items         |
|---|---|----------|---------------|
|   | Open shelf element stainless steel coloured natural oak, plywood WxHxD: 43x12,6x12,2 cm Planning: Suitable for china bowls, 4 pieces.   |          | PRE 43 EI     |
|   | Open shelf element<br>onyx black<br>natural oak, plywood<br>WxHxD: 43x12,6x12,2 cm  |          | PRE 43 EI OS  |
|   | Level shelf, stainless steel coloured natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile Planning: Suitable for china bowls, 4 pieces. |          | PBG 43 EI     |
|   | Level shelf, onyx black<br>natural oak, plywood<br>WxHxD: 43x3x12,2 cm<br>shelf positioned at height of<br>the intermediate profile   |          | PBG 43 EI OS  |
|   | Set of china bowls 4 pieces 2 small bowls, height 6 cm 2 medium-sized bowls, height 12,5 cm   |          | CUPS -4       |
|   | Holder for letters and notes<br>stainless steel coloured<br>natural oak, plywood<br>WxHxD: 25x16,7x7 cm<br>holder can also be placed on the worktop                                 |          | PHBN 25 EI    |
|   | Holder for letters and notes onyx black natural oak, plywood WxHxD: 25x16,7x7 cm holder can also be placed on the worktop   |          | PHBN 25 EI OS |
|   | Small china bowl<br>height 6 cm<br>WxD: 10,1x10,1 cm  | 10,1     | Z CUPS 6      |
|   | Medium china bowl<br>height 12,5 cm<br>WxD: 10,1x10,1 cm  | 10,1     | Z CUPS 12     |
|   | Large china bowl<br>height 17,2 cm<br>WxD: 10,1x10,1 cm   | 10,1     | Z CUPS 17     |
|   | Orga Wall holder for newspapers<br>stainless steel coloured<br>WxHxD: 49,5x20x16 cm   |          | OW HZ         |
|   | Orga Wall holder for newspapers<br>onyx black<br>WxHxD: 49,5x20x16 cm   |          | OW HZ OS      |
|   |   |          |               |

| W.H.KD: 1,5x5,5x1,2 cm  Hook set onyx black 3 hooks WXH.KD: 1,5x5,5x1,2 cm  Magnetic board for 6 knives or keys stainless steel coloured natural coak WXH.KD: 30x12,5x4 cm  Magnetic board for 6 knives or keys onyx black natural coal of the stainless steel coloured wXH.KD: 30x12,5x4 cm  Orga Wall level shelf stainless steel coloured WXH.KD: 43p,5x3,5x17 cm  Orga Wall level shelf onyx black WXH.XD: 44p,5x3,5x17 cm  Orga Wall cable box with lid, mottled anthracite moulded nonwoven WXH.XD: 247x11,5x16 cm WXH.XD: 247x10,8x16 cm WXH.XD: 247x10,8x16 cm WXH.XD: 247x10,8x16 cm WXH.XD: 247x17,5x16 cm XYH.XD: 247x17,5x16 cm | tainless steel coloured or onyx black | Hook set<br>stainless steel coloured<br>3 hooks   | Width cm | PHS              |
|---|---------------------------------------|---|----------|------------------|
| stainless steel coloured natural oak WXHXD: 30X12,5x4 cm  Magnetic board for 6 knives or keys onyx black natural oak WXHXD: 30X12,5x4 cm  Orga Wall level shelf stainless steel coloured WXHXD: 49,5x3,5x17 cm  Orga Wall level shelf onyx black WXHXD: 49,5x3,5x17 cm  Orga Wall level shelf onyx black WXHXD: 49,5x3,5x17 cm  Orga Wall shel shelf onyx black WXHXD: 47,5x3,5x17 cm  Orga Wall cable box with lid, mortited anthracite moulded nonwoven WXHXD: 24,7x1,7x11,5x16 cm with cutout at rear, WXH: 17,5x6,5 cm with cutout at rear, WXH: 17,5x6,5 cm with cutout at rear, WXD: 6x2 cm  Orga Wall inductive charging station lid mottled anthracite moulded nonwoven wireless charging of mobile phones, 1 inductive charging coil, output voltage 5V 600mA WXHXD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V12V175W HXWXL: 1,6x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planing; Can be upgraded with an additional OWILS inductive charging coil. Orga Wall inductive charging coil. Orga Wall inductive charging coil of the connection cable with Euro plug Planing; Can be upgraded with an additional OWILS inductive charging on mobile phones output voltage 5V 600mA p 7,2 cm, depth 1,1 cm 0 own p 1,2 cm 0 own p 1,2 cm 0 own p 1,2 cm 0 |                                       | Hook set onyx black 3 hooks   |          | PHS OS           |
| Orga Wall level shelf stainless steel coloured WXHXD: 30X12,5x4 cm  Orga Wall level shelf onyx black WXHXD: 49,5x3,5x17 cm  Orga Wall level shelf onyx black WXHXD: 49,5x3,5x17 cm  Orga Wall cable box with lid, mottled anthracite moulded nonwoven WXHXD: 24,7x1,5x16 cm with cutout at rear, WXH: 17,5x6,8 cm 11(d, WXHXD: 24,7x0,8x16 cm with cutout at rear, WXD: 6x2 cm  Orga Wall inductive charging station lid mottled anthracite moulded nonwoven wireless charging of mobile phones, inductive charging coil, output voltage 5v 600mA WXHXD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V/12V/15W HXWXI: 1,5x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional OWILS inductive charging coil black, additional requirement wireless charging of mobile phones output voltage 5v 600mA 0 7,2 cm, depth 1,1 cm 2 m connection cable LED plug  |                                       | stainless steel coloured<br>natural oak   |          | PMB 6 M 30 EI    |
| stainless steel coloured WXHXD: 49,5x3,5x17 cm  Orga Wall level shelf onyx black WXHXD: 49,5x3,5x17 cm  Orga Wall cable box with lid, mottled anthracite moulded nonwoven WXHXD: 24,7x11,5x16 cm with cutout at rear, WXH: 17,5x6,8 cm 1 lid, WXHXD: 24,7x0,8x16 cm with cutout at rear, WXD: 6x2 cm  Orga Wall inductive charging station lid mottled anthracite moulded nonwoven wireless charging of mobile phones, 1 inductive charging coil, output voltage 5V 600mA WXHXD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V/12V/15W HXWXL: 1,6x4,6x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional OWILS inductive charging coil black, additional requirement wireless charging of mobile phones output voltage 5V 600mA Ø 7,2 cm, depth 1,1 cm 2 m connection cable LED plug  |                                       | onyx black<br>natural oak   |          | PMB 6 M 30 EI OS |
| onyx black WXHXD: 49,5x3,5x17 cm  Orga Wall cable box with lid, mottled anthracite moulded nonwoven WXHXD: 24,7x11,5x16 cm with cutout at rear, WXH: 17,5x6,8 cm 1 lid, WXHXD: 24,7x0,8x16 cm with cutout at rear, WXH: 17,5x6,8 cm 1 lid, WXHXD: 24,7x0,8x16 cm wireless charging of mobile phones, 1 inductive charging coil, output voltage 5V 600mA WXHXD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V/12V/15W HXWXL: 16x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional OWILS inductive charging coil.  Orga Wall inductive charging coil black, additional requirement wireless charging of mobile phones output voltage 5V 600mA Ø 7,2 cm, depth 1,1 cm 2 m connection cable LED plug   |                                       | stainless steel coloured  |          | OW BG 50         |
| mottled anthracite moulded nonwoven WXHXD: 24,7x1,5x16 cm with cutout at rear, WXH: 17,5x6,8 cm 1 lid, WXHXD: 24,7x0,8x16 cm with cutout at rear, WxD: 6x2 cm  Orga Wall inductive charging station lid mottled anthracite moulded nonwoven wireless charging of mobile phones, 1 inductive charging coil, output voltage 5v 600mA WXHXD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230v/12V/15W HXWXL: 1,6x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional OWILS inductive charging coil black, additional requirement wireless charging of mobile phones output voltage 5v 600mA g 7,2 cm, depth 1,1 cm 2 m connection cable LED plug   |                                       | onyx black  |          | OW BG 50 OS      |
| lid mottled anthracite moulded nonwoven wireless charging of mobile phones, 1 inductive charging coil, output voltage 5V 600mA WxHxD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V/12V/15W HxWxL: 1,6x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional OWILS inductive charging coil.  Orga Wall inductive charging coil black, additional requirement wireless charging of mobile phones output voltage 5V 600mA Ø 7,2 cm, depth 1,1 cm 2 m connection cable LED plug   |                                       | mottled anthracite moulded nonwoven WxHxD: 24,7x11,5x16 cm with cutout at rear, WxH: 17,5x6,8 cm 1 lid, WxHxD: 24,7x0,8x16 cm   |          | OW KB D FV       |
| black, additional requirement wireless charging of mobile phones output voltage 5V 600mA Ø 7,2 cm, depth 1,1 cm 2 m connection cable LED plug   |                                       | lid mottled anthracite moulded nonwoven wireless charging of mobile phones, 1 inductive charging coil, output voltage 5V 600mA WxHxD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V/12V/15W HxWxL: 1,6x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional |          | OW IL FV         |
|   |                                       | wireless charging of mobile phones<br>output voltage 5V 600mA<br>ø 7,2 cm, depth 1,1 cm<br>2 m connection cable LED plug  |          | OW ILS           |
|   |                                       |   |          |                  |

| tainless steel coloured or onyx black | Description  | Width cm | Items         |
|---------------------------------------|--|----------|---------------|
|                                       | Info board with rack and foil-wrapped writing surface stainless steel coloured  WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement:  WxHxD: 19,9x27,6x6,1 cm  Planning: Suitable for chalk pen. | 40       | PIB 40        |
|                                       | Info board with rack and foil-wrapped writing surface onyx black WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement: WxHxD: 19,9x27,6x6,1 cm  | 40       | PIB 40 OS     |
|                                       | Orga Wall accessory set 3 stainless steel coloured 1 holder for tablet computer 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 picture frame/whiteboard 1 inductive charging station  |          | OW A SET      |
|                                       | Orga Wall accessory set 3 onyx black 1 holder for tablet computer 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 picture frame/whiteboard 1 inductive charging station  |          | OW A SET OS   |
|                                       | Orga Wall accessory set 4 stainless steel coloured 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 level shelf 1 picture frame/whiteboard  |          | OW A SET 2    |
|                                       | Orga Wall accessory set 4 onyx black 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 level shelf 1 picture frame/whiteboard  |          | OW A SET 2 OS |

## Frame Rack accessories





The Frame Rack aluminium open shelf unit system is ideal for customised planning: whether as a shelf for a tall unit, a base unit with plinth, a top unit or a recess, the Frame Rack stands out thanks to its wide range of individual planning options. For example, various organisational elements for an assortment of cooking utensils and aids can be inserted under the shelves. The advantages are plain to see: not only do the work surfaces remain clear but everything is also within easy reach.

## Frame Rack accessories

| Accessories<br>Onyx black | Description  | Width cm | Items               |
|---------------------------|--|----------|---------------------|
|                           | Holder for kitchen roll onyx black WxHxD: 30x18,1x12,3 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height. Available from 34 cm width.   | 30       | Z F HKR 30 OS       |
|                           | Hook rail with 4 hooks for cooking utensils onyx black WxHxD: 22,5x4,8x6,3 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.   | 22,5     | Z F HL 22 OS        |
|                           | Magnetic knife block for 6 knives onyx black natural oak WxHxD: 30x20,3x3,9 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.  Available from 34 cm width.   | 30       | Z F MB 6 M 30 EI OS |
|                           | Magnetic holder for 15 spice containers natural oak  WxHxD: 18,4x30,9x1,4 cm, depth incl. spice containers: 6,9 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers  Planning: For installation at the bottom side of the shelf, pay attention to possible recess height. | 18,4     | Z F HG 15 M 18 EI   |
|                           | Magnetic holder for 15 spice containers onyx black WxHxD: 18,4x30,3x0,6 cm, depth incl. spice containers: 5,9 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.    | 18,4     | Z F HG 15 M 18 OS   |
|                           | Storage shelf for vinegar/oil onyx black WxHxD: 20x30,3x10,1 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.   | 20       | Z F AEO 20 OS       |
|                           | Glass holder for 4 stemmed glasses onyx black WxHxD: 48x4,5x9,8 cm felt mat as glass protector max. diameter glass base/glass bowl: 11,5 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height. Available from 52 cm width. Height of holder plus height of stemmed glasses.                                | 48       | Z F GH 48 OS        |









Shelves not only create storage space, they also add an interesting design feature to the kitchen – a nice alternative to wall units! Decorative items can take centre stage and storage space is attractively created on the shelves. This beautiful and unusual alternative helps to loosen up the overall appearance of the cooking and living area and gives the kitchen an individual look. The range of different colours and materials makes it possible to both implement homogeneous designs and create support panel top shelves in contrasting colours as strikingly eye-catching features.

| ength 25 to 260 cm / Depth 25 cm                          | Description   |       | Width cm    | Items           |
|---|---|-------|-------------|-----------------|
|   | Support panel shelf 1,6 cm with<br>2 shelf supports ZBT-10<br>length 25-60 cm, d. 25 cm<br>load capacity 12 kg              | piece | 25 - 60     | WB 16 60 25     |
| 25  | Support panel shelf 1,6 cm with 2 shelf supports ZBT-10 length 60,1-120 cm, d. 25 cm load capacity 12 kg                    | piece | 60,1 - 120  | WB 16 120 25    |
|   | Support panel shelf 1,6 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg                   | piece | 120,1 - 180 | WB 16 180 25    |
|   | Support panel shelf 1,6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg                   | piece | 180,1 - 260 | WB 16 260 25    |
| Support panel shelf 2,5 cm with shelf supports ZSB / ZSB2 |   |       |             |                 |
| ength 25 to 260 cm / Depth 17,5 / 25 cm                   | Description   |       | Width cm    | Items           |
|   | Support panel shelf 2,5 cm with 2 concealed shelf supports ZSB length 25-60 cm, d. 17,5 cm load capacity 12 kg              | piece | 25 - 60     | WB 25 60 17 -S  |
| 17,5  | Support panel shelf 2,5 cm with<br>3 concealed shelf supports ZSB<br>length 60,1-120 cm, d. 17,5 cm<br>load capacity 12 kg  | piece | 60,1 - 120  | WB 25 120 17 -S |
|   | Support panel shelf 2,5 cm with<br>4 concealed shelf supports ZSB<br>length 120,1-180 cm, d. 17,5 cm<br>load capacity 18 kg | piece | 120,1 - 180 | WB 25 180 17 -S |
|   | Support panel shelf 2,5 cm with 5 concealed shelf supports ZSB length 180,1-260 cm, d. 17,5 cm load capacity 24 kg          | piece | 180,1 - 260 | WB 25 260 17 -S |
|   | Support panel shelf 2,5 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg               | piece | 25 - 60     | WB 25 60 25 -S  |
|   | Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls                             |       |             |                 |
|   | Support panel shelf 2,5 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg            | piece | 60,1 - 120  | WB 25 120 25 -S |
|   | Support panel shelf 2,5 cm with<br>3 concealed shelf supports ZSB2<br>length 120,1-180 cm, d. 25 cm<br>load capacity 18 kg  | piece | 120,1 - 180 | WB 25 180 25 -S |
|   | Support panel shelf 2,5 cm with<br>4 concealed shelf supports ZSB2<br>length 180,1-260 cm, d. 25 cm<br>load capacity 24 kg  | piece | 180,1 - 260 | WB 25 260 25 -S |

| ength 25 to 260 cm / Depth 25 cm                            | Description  |       | Width cm    | Items           |
|---|--|-------|-------------|-----------------|
|   | Support panel shelf 2,5 cm with<br>2 shelf supports ZBT-10<br>length 25-60 cm, d. 25 cm<br>load capacity 12 kg             | piece | 25 - 60     | WB 25 60 25     |
| 25  | Support panel shelf 2,5 cm with 2 shelf supports ZBT-10 length 60,1-120 cm, d. 25 cm load capacity 12 kg                   | piece | 60,1 - 120  | WB 25 120 25    |
| '   | Support panel shelf 2,5 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg                  | piece | 120,1 - 180 | WB 25 180 25    |
|   | Support panel shelf 2,5 cm with<br>4 shelf supports ZBT-10<br>length 180,1-260 cm, d. 25 cm<br>load capacity 24 kg         | piece | 180,1 - 260 | WB 25 260 25    |
| Support panel shelves 6 cm with helf supports ZBT-10 / ZSB2 |  |       |             |                 |
| ength 25 to 260 cm / Depth 17,5 cm                          | Description  |       | Width cm    | Items           |
|   | Support panel shelf 6 cm with 2 shelf supports ZBT-10 length 25-60 cm, d. 17,5 cm load capacity 12 kg                      | piece | 25 - 60     | WB 60 60 18     |
| 17,5  | Support panel shelf 6 cm with 2 shelf supports ZBT-10 length 60,1-120 cm, d. 17,5 cm load capacity 12 kg                   | piece | 60,1 - 120  | WB 60 120 18    |
|   | Support panel shelf 6 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 17,5 cm load capacity 18 kg                  | piece | 120,1 - 180 | WB 60 180 18    |
|   | Support panel shelf 6 cm with<br>4 shelf supports ZBT-10<br>length 180,1-260 cm, d. 17,5 cm<br>load capacity 24 kg         | piece | 180,1 - 260 | WB 60 260 18    |
|   | Support panel shelf 6 cm with<br>2 concealed shelf supports ZSB2<br>length 25-60 cm, d. 17,5 cm<br>load capacity 12 kg     | piece | 25 - 60     | WB 60 60 17 -S  |
|   | Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls                            |       |             |                 |
| 17,5  | Support panel shelf 6 cm with<br>2 concealed shelf supports ZSB2<br>length 60,1-120 cm, d. 17,5 cm<br>load capacity 12 kg  | piece | 60,1 - 120  | WB 60 120 17 -S |
|   | Support panel shelf 6 cm with<br>3 concealed shelf supports ZSB2<br>length 120,1-180 cm, d. 17,5 cm<br>load capacity 18 kg | piece | 120,1 - 180 | WB 60 180 17 -S |
|   | Support panel shelf 6 cm with<br>4 concealed shelf supports ZSB2<br>length 180,1-260 cm, d. 17,5 cm<br>load capacity 24 kg | piece | 180,1 - 260 | WB 60 260 17 -S |

| Support panel shelf 6 cm with 2 shelf supports 28T-10 length 29-80 cm, d. 25 cm load capacity 12 kg  |      |
|--|------|
| 2 shelf supports ZBT-10 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg  Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls.  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg |      |
| 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls.  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-260 cm, d. 25 cm  | 5    |
| 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg  Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls.  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-260 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm  | 5    |
| 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls.  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm   | 5    |
| fibre reinforced plasterboards and cavity walls.  Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm   | -S   |
| 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg  Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm  WB 60 180 29  WB 60 260 2  |      |
| 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg  Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm  WB 60 260 2  | 5 -S |
| 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm  | 5 -S |
|  | 5 -S |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |
|  |      |

## Order details support panel colour

| K1 – Laminate  | K032 Natural wild oak effect K047 Aurora oak effect K090 Crystal white K095 Seashell white K100S White K120 Crystal grey K135S Magnolia  | K185 Onyx black K190 Lava black K205 Pebble grey K210 Sand grey K275 Agate grey K820 Sand oak effect   |
|--|--|--|
| U1 – Design laminate   | K007 Shell limestone graphite effect K008 Shell limestone grey brown effect K017 Basalt graphite effect K020 Slate sand effect K023 Concrete quartz grey effect K025 Concrete white grey effect K028 Concrete anthracite effect K033 Travertine sand effect K040 Luna beige K041 Arizona pine effect K042 Alvaro slate effect K046 Ash Nordic effect K048 Patagonia oak effect K049 Corten Oxide effect K050 Skagen oak effect K055 Marble Arezzo effect | K061 Marble Vena effect K063 Sandstone beige effect K064 Summer oak effect K066 Oak cognac brown effect K068 Bergamo walnut effect K072 Taj Mahal effect K075 Terra taupe K081 Pinara light grey effect K530 Marble Avorio effect K585 Steel dark effect K755 Victoria walnut effect K775 Nebraska oak effect K778 Grooved look natural oak effect K779 Grooved look dark oak effect K830 Oak siena effect |
| K6 – Laminate<br>synchronised pore   | K653 Old oak provence syn. pore effect K823 Sand oak synchronised pore effect  | K833 Oak siena synchronised pore effect  |
| K7 – Laminate matt lac-<br>quered AFP  | L092X Crystal white AFP L097X Seashell white AFP L102X white AFP L122X Crystal grey AFP L187X Onyx black matt AFP L192X Lava black matt AFP L207X Pebble grey matt velvet AFP L212X Sand grey high gloss AFP   | L277X Agate grey AFP L297X Steel blue AFP L317X Eucalyptus green AFP L322X Orient red AFP L427X Cashmere brown matt velvet AFP L537X Sepia brown matt velvet AFP L552X Deep blue AFP   |
| K2 – Laminate high gloss   | K091 Crystal white high gloss K096 Seashell white high gloss K111G Brilliant white high gloss  | K206 Pebble grey high gloss  K211 Sand grey high gloss   |
| L5 – UV high gloss lacquer   | L091U Crystal white high gloss L096U Seashell white high gloss L111U Brilliant white high gloss  | L206U Pebble grey high gloss L211U Sand grey high gloss  |
| L4 - High gloss lacquer<br>(Not available: support panel shelves<br>6 cm)  | L091 Crystal white high gloss L096 Seashell white high gloss L111G Brilliant white high gloss  | L206 Pebble grey high gloss L211 Sand grey high gloss  |
| L8 – UV matt lacquer<br>structure  | L772U Oak onyx black effect AFP  |  |
| L7 - Matt velvet lacquer L M matt velvet AFP L1 - Satin lacquer L satin L1P - SSatin lacquer, pore L P satin, pore | L092M / L090 / L090P Crystal white L097M / L095 / L095P Seashell white L102M / L100S / L100P White L122M / L120 / L120P Crystal grey L137M / L135S / L135P Magnolia L187M / L185 / L185P Onyx black L192M / L190 / L190P Lava black  | L292M / L290 / L290P Indian red L297M / L295 / L295P Steel blue L307M / L305 / L305P Autumn red L362M / L360 / L360P Blue grey L397M / L395 / L395P Olive yellow L427M / L425 / L425P Cashmere brown L442M / L440 / L440P Forest green   |

## Order details support panel colour





# Technical equipment



Thanks to flawless technology, the kitchen becomes a favourite room. Filigree, dimmable LED-based pendant luminaires bring an emotional touch to the kitchen. Seamlessly height-adjustable, they serve faithfully above both the cooking island and the dining table – a nice option that adds an atmospheric feel to the room. Thanks to an intelligent control system, the light colour of the Emotion LED luminaire can be adjusted continuously from warm white to neutral white, making it adaptable to different situations.

## Technical equipment

| Emotion LED lights   | Description   |              | Width cm | Items          |
|--|---|--------------|----------|----------------|
| 3,25<br>   | LED pendant light brightness adjustable, ZigBee-capable energy efficiency class E light col. temp.: 2700K to 4000K, lumens: 2300 lm pendant light in stainless steel coloured, infinitely height-adjustable, with integrated converter, control unit for adjusting light colour and brightness, LED 230V/22W HxWxD: 20-250x120x2,3 cm 1 wireless remote control, 4 channels Planning: Connection for 230V continuous current to be provided in ceiling on site. Light switch not essential. The pendant light can be synchronised with other Emotion LED lights using Emotion LED upgrade set ZLDEF60SET. | <b>&amp;</b> | 120      | LLE PD 120     |
| Zigbee certified product  This product contains an energy efficiency class E light source. | LED pendant light, brightness adjustable,<br>ZigBee-capable, energy efficiency class E<br>lumens: 3100 lm, LED 230V/30W<br>HxWxD: 20-250x160x2,3 cm<br>1 wireless remote control, 4 channels  | <b>&amp;</b> | 160      | LLE PD 160     |
| 3,25<br>LEST XXW Y 2,7<br>2,3<br>120   | LED pendant light brightness adjustable, ZigBee-capable energy efficiency class E light col. temp.: 2700K to 4000K, lumens: 2300 lm pendant light in onyx black, infinitely height-adjustable, with integrated converter, control unit for adjusting light colour and brightness, LED 230V/22W HxWxD: 20-250x120x2,3 cm 1 wireless remote control, 4 channels Planning: Connection for 230 V continuous current to be provided in ceiling on site. Light switch not essential. The pendant light can be synchronised with other Emotion LED lights using Emotion LED upgrade set ZLDEF60SET.              |              | 120      | LLE PD 120 OS  |
| Zigbee certified product  This product contains an energy efficiency class E light source. | LED pendant light, brightness adjustable, ZigBee-capable, energy efficiency class E lumens: 3100 lm , LED 230V/30W HxWxD: 20-250x160x2,3 cm 1 wireless remote control, 4 channels   | <b>&amp;</b> | 160      | LLE PD 160 OS  |
| zigbee certified product   | Emotion LED starter set for adjust. LED lights 2700-4000K, ZigBee-capable 1 control unit with 9-way distributor for adjusting light colour and brightness 1 wireless remote control, 6 channels 1 converter 230V/12V/60W 2 m mains connection cable w. Euro flat plug Planning: Up to 6 channels can be individually controlled. Up to 30 converters can be programmed per channel. An additional ZLDEF60SET upgrade set is required for channels 2-6. Integration into a smart home requires a proper functioning Wi-Fi system and a ZigBee hub/bridge (at least 3.0), e.g. from Philips Hue.            |              |          | Z LDE S 60 SET |
| zigbee certified product   | Emotion LED upgrade set for adjust. LED lights 2700-4000K, ZigBee-capable 1 control unit with 9-way distributor for adjusting light colour and brightness 1 converter 230V/12V/60W 2 m mains connection cable with Euro flat plug Planning: Control system can be synchronized via starter set ZLDES60SET.  | <b>&amp;</b> |          | Z LDE F 60 SET |
|  | <b>LED extension cable</b><br>1,8 m cable LED jack/plug   |              | 180      | Z LDVK -1      |

More than just a kitchen: the utility room



#### **⋈** KEY FACT

Whether a room in the cellar or next to the living area, the utility room is a functional place equipped for everything that a household needs. Wash, iron, store and recycle in a well-organised, ergonomic space. The specially-designed units for the washing machine, for sorting laundry and for storing cleaning appliances, supplies and shoes allow you to perfectly manage your home.

## The utility room

## Base Cabinet Shelf with Laundry Holder & Multifunctional Top Shelf with Pull-Out Tray

The all-in-one laundry cabinet combines smart features in a compact space: the multifunctional top shelf with pull-out tray and clothes rail allows for easy sorting, airing, or folding of freshly washed laundry. Additionally, the base cabinet shelf with extendable laundry holder provides practical space for drying.



## Pull-Out Base Cabinet with Dual Laundry Sorting

The practical laundry sorter features two 42-liter compartments in a space-saving base cabinet. It not only keeps dirty laundry out of sight, but also makes it easier to pre-sort by color or washing temperature—helping speed up the laundry process.



#### Open End Shelf

The open tall cabinet end shelf provides space for an ironing board, broom, and vacuum cleaner. Thanks to the hook rail and optional power strip, everything is stored within easy reach, well ventilated, and ready to charge.





## Tall Cabinet Shelf for Washing Machine with Laundry Basket Tray

Ergonomic laundry care: With the washing machine or dryer positioned at a back-friendly height and the convenient pull-out laundry basket tray, doing laundry becomes quick and easy.



Laundry Preparation Tall Cabinet for Ironing Board and Drying Rack

The laundry preparation tall cabinet keeps the ironing board, iron, and accessories not only compactly stored, but also easily accessible and ready for use—bringing more clarity and less clutter to your laundry routine.



**Lock for Cleaning Supplies Cabinet** 

Whether it's cleaning agents, plant fertilizer, or confidential documents—the cylinder lock for cabinets, drawers, or pullouts ensures that everything meant to be kept out of reach stays securely locked away.

More than just a kitchen: the pantry



#### **⋈** KEY FACT

Groceries, kitchen aids, preserves and beverages – all these things should be stored in a manner that is as space-saving, ergonomic and clearly organised as possible, ideally where they do not impair the overall appearance of the living space: in the pantry. With intelligent and extremely versatile system elements as the basis, you can design the pantry in line with your requirements – with open shelves for a clear view or practical pull-outs for everything that is best hidden away.

## The pantry

#### Cleverly concealed thanks to the access door

A practical solution for those who want to bring a sense of calm into the room. The access door elegantly blocks the view into the pantry and, when closed, looks like a tall unit. As a result, it blends harmoniously into the overall picture. Thanks to the Tip-On technology, the access door can be opened easily, even when you have your hands full.



#### Tall unit for bottle crates

Convenient and clear storage: by installing shelves at an angle, several bottle crates can be stored in a space-saving way depending on the unit height, and the bottles can be easily removed one by one.





#### Natural oak wooden crates

Genuine eye-catchers that offer optimal storage capacity for food that does not need to be refrigerated.



#### Practical pull-outs

The practical pull-outs keep your pantry looking neat and tidy while also enabling you to make full use of the available storage space, right to the very back.



## Pull-out base unit with recycling pocket for a recyclable waste bag

We have the ideal solution to answer the question: "Where does the rubbish go?". Simply insert our pull-out base unit – with practical Tip-On technology for when you don't have a free hand.

More than just a kitchen: the wardrobe



#### **⋈** KEY FACT

Come on in and make yourself at home: this warm invitation should be conveyed directly in the entrance area and harmoniously complement the overall appearance of the open space. That is why we see the wardrobe as a welcoming piece of furniture and offer various planning options. Whether closed cupboard elements for clothes, mirrored doors or open units, thanks to this versatility, the entrance area can be individually designed and combines maximum storage space with functionality.


More than just a kitchen: the working space



**⋈** KEY FACT


Relocating the office to the home requires solution-oriented thinking. Consequently, the task at hand is to utilise the available space optimally. For instance, work materials disappear into the wall units with practical folding flaps and into the base units and pull-outs, which can be provided with Tip-On or even extravagant leather handles. The stylish integration of a light into the Frame Racks or wall units positioned above perfectly illuminates the work area.

More than just a kitchen: wall combinations





More than just a kitchen: sideboards





## More than just a kitchen: The mobile occasional table



#### **⋈** KEY FACT

Whether for serving, as an extension to the work surface or as a bar: the mobile occasional table with its soft, lockable castors is always welcome in the kitchen. With its timeless look, a structural steel frame in elegant onyx black and customisable table top and shelf, this small, versatile piece of furniture adapts to different home living situations and needs. When it is not needed, it can be folded up and stored away to save space.



Schüller Möbelwerk GmbH

Rother Straße 1 91567 Herrieden Germany Tel +49 (0) 9825 83-0 Fax +49 (0) 9825 83-1210 info@schueller.de

www.schueller.de